

IN THE CLAIMS

1. (Currently Amended) A wall patch, comprising:
a substantially planar body;
a perimeter having a feathered edge;
an adhesive located on a first surface of the body; and
a ready-to-paint second surface of the body.
2. (Currently Amended) The wall patch of claim 1 wherein the body ~~further~~
~~comprises a perimeter having a feathered edge~~ comprises a sheet of material having a
substantially uniform thickness.
3. (Previously presented) The wall patch of claim 1 wherein the ready-to-paint
second surface comprises a textured surface.
4. (Original) The wall patch of claim 1 wherein the body is formed from a tear-
resistant material.
5. (Previously presented) The wall patch of claim 1, further comprising an aperture
formed through the wall patch.
6. (Previously presented) The wall patch of claim 5, wherein the aperture is sized to
surround a wall-mounted object.
7. (Original) The wall patch of claim 6 wherein the wall-mounted object is selected
from the group consisting of an electrical outlet element, a switch element, a thermostat element,
a telephone element, a cable television element, and a networking connection element.
8. (Previously presented) The wall patch of claim 5, wherein the aperture has a
boundary defining an open area less than a wall open area defined by a wall hole.
9. (Previously presented) The wall patch of claim 5, further comprising:

an aperture reinforcement at least partially surrounding the aperture.

10. (Original) The wall repair system of claim 9 wherein the aperture reinforcement is constructed of rigid metal.

11. (Original) The wall repair system of claim 9 wherein the aperture reinforcement is constructed of plastic.

12. (Cancelled)

13. (Cancelled)

14. (Cancelled)

15. (Cancelled)

16. (Cancelled)

17. (Cancelled)

18. (Previously presented) A wall patch, comprising:
a sheet having a substantially uniform thickness, and further comprising a lower surface and an upper surface;
a pre-textured, ready-to-paint layer applied to the upper surface; and
a perimeter of the sheet having a feathered edge.

19. (Previously presented) The wall patch of claim 18, further comprising an aperture formed through the wall patch and configured to surround a wall element.

20. (Previously presented) The wall patch of claim 19, wherein the wall element is selected from the group consisting of an electrical outlet element, a switch element, a thermostat element, a telephone element, a cable television element, and a networking connection element.

21. (Previously presented) The wall patch of claim 19, further comprising a reinforcement member at least partially surrounding the aperture.

22. (Currently Amended) A wall patch, comprising:
a flexible material having a substantially uniform thickness and including an upper surface and a lower surface;
a perimeter having an uneven feathered edge;
an adhesive layer applied to the lower surface of the material; and
wherein the upper surface of the material is ready-to-paint.

23. (Previously presented) The wall patch according to claim 22, further comprising an aperture formed through the wall patch.